


Manufacturer	Device Group	Lead Device	Devices that will automatically "pass" once lead device "passes".	Notes
 MOTOROLA	GSM / GPRS Platform Camshell Style			Javame Platform Specification
	176w x 204h (FullScreen Mode)	V950		CLDC 1.0, MIDP 2.0
	176w x 204h (FullScreen Mode)	V950	V950, V92k, V930	CLDC 1.0, MIDP 2.1
	176w x 204h (FullScreen Mode)	V930		CLDC 1.0, MIDP 2.2
	176w x 204h (FullScreen Mode)	RAZR V3i(+)		CLDC 1.0, MIDP 2.3
	176w x 204h (FullScreen Mode)	V930 (+)	V960 (+)	CLDC 1.0, MIDP 2.4
	176w x 205h (FullScreen Mode)	KBZR K1 (+)		CLDC 1.0, MIDP 2.5
	GSM / GPRS Platform Candybar Style			Javame Platform Specification
	176w x 204h (FullScreen Mode)	L7 SLVR (+)		CLDC 1.0, MIDP 2.0
	176w x 204h (FullScreen Mode)	ROKR E1 (+)		CLDC 1.0, MIDP 2.0
	3G / GPRS / GSM Platform Candybar Style			Javame Platform Specification
	240w x 299h (FullScreen Mode)	C360		CLDC 1.0, MIDP 2.0
	176w x 204h (FullScreen Mode)	C360		CLDC 1.0, MIDP 2.0
	3G / GPRS / GSM Platform Camshell Style			Javame Platform Specification
	176w x 204h (FullScreen Mode)	V980		CLDC 1.0, MIDP 2.0
	240w x 299h (FullScreen Mode)	V980		CLDC 1.0, MIDP 2.0
	240w x 300h (FullScreen Mode)	V980 (+)		CLDC 1.1, MIDP 2.0
	240w x 300h (FullScreen Mode)	V980 (+)		CLDC 1.1, MIDP 2.0
	GSM / GPRS Platform Slider Style			Javame Platform Specification
	176w x 205h (FullScreen Mode)	MOTOROLA Z3 (+)		CLDC 1.1, MIDP 2.0
MOTOROLA Developer Resources and Information Online Knowledge, Technical Support, API Documentation, Multi Media Guides and Schema Development Kits (SDK) are available from MOTODEV http://developer.motodev.com				
Samsung http://developer.samsung.com				
160 x 128	X670			CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135)
220 x 176	E760			CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Bluetooth API (JSR-82), Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75)
320 x 240	D620	D600		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Bluetooth API (JSR-82), Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75)
240 x 320	Z540	Z110		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135)
176x192	Z107	Z105		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135)
176 x 220	E720	E530, E620		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Bluetooth API (JSR-82), Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75), samsung-utility
128 x 160	X610			CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Bluetooth API (JSR-82), Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75), samsung-utility
176 x 220	E770	E800V, X800		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, FileConnection and PIM API (JSR-75), Wireless Messaging API (JSR-120), Bluetooth API (JSR-82), Mobile Media API (JSR-135)
176 x 220	Z330			CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Wireless Messaging API (JSR-120), Bluetooth API (JSR-82), Mobile Media API (JSR-135)
176 x 220	Z140			CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Mobile Media API (JSR-135), Wireless Messaging API (JSR-120), Mobile
176 x 220	Z600			CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Mobile Media API (JSR-135), Wireless Messaging API (JSR-120), Mobile
BenQ Siemens For more information visit www.benq.com/developer				
4S Platform				MIDP 1.0, CLDC 1.0, Siemens Color Game API
a. 101*64 Pixels	M50	C65, C56, CT56, 6668, MT50, M46, 3118		
b. 101*80 Pixels	SL45			
5S Platform				MIDP 1.0, CLDC 1.0, Siemens Color Game API, Siemens Extension API
a. 101*80 Pixels	S55	C60, SL55, S56, S57, SL50, SL56		
	M55, M56			MIDP 1.0, CLDC 1.0, Siemens Color Game API, Siemens Extension API, M55 LED API
	MC60			MIDP 1.0, CLDC 1.0, Siemens Color Game API, Siemens Extension API, BMP Encoding API
	ME7, MC60, MC68, A65			
b. 128x128 Pixels		Ax75, CF62, CF110, AF51, AL21, AX72		MIDP 1.0, CLDC 1.0, CLDC 1.1, Siemens Color Game API
Developer Platform 1.0		5X1		MIDP 1.0, CLDC 1.0, Siemens Color Game API
6S Platform				MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0
a. 132*176 Pixels	CX65 (+)	CX65(+), CX76(+), CXV65(+), CX66(+), CX7(+), CX76(enhance+), CT6, CX76(+), CXV76(+), CT6(+)		
	M65(+), M6V(+), M6C(+), M75(+), M75(+)			MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, Siemens Color Game API, Siemens Extension API
	S65(+), S6V(+), S6C(+), S66(+), S65(+), S66(+)			MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API
b. 132*130 Pixels	C65 (+)	C65(+), CT65(+), CV65(+), C66(+), CT66(+), CV66(+), SL65(+), CT7(+), CT7(+)		MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API
c. 128x160 pixels	CF75(+)	CF75(+)		MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API, PDA Optional Package for J2ME Platform
	CFX65			MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0
Generation 7S				MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API, PDA and FileAccess Optional Package for J2ME Platform, Web Services
a. 132*176 Pixels	S75(+)	SL75(+), CS1(+), JME1(+)		
b. 132*176 Pixels	S88 (+)			MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API, PDA and FileAccess Optional Package for J2ME Platform, Web Services, Less codecs supported than with "S75-based device"
c. CVGA	EL71(+)	EL71(+)		MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API, PDA and FileAccess Optional Package for J2ME Platform, Web Services, Mobile Internationalization API
UMTS Platform				MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, Location API, 3D API, PDA and File Access Optional Package for J2ME Platform, Bluetooth
3G Platform 1 CVGA	SX075(+)	SF81(+), SL91(+)		
Others				MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, JTWI 1.0, Mobile Information Device Profile
Others				
Sony Ericsson For more information visit http://developer.sonyericsson.com				
JP-1 (T610)				CLDC 1.0, MIDP 1.0, MMAPI (JSR-135) (Audio only), WMA 1.0 (JSR-120) (only T610 and T637)
a. 128x160	T610	T610, T618, T628, T630, T637***, Z600, Z608		
JP2 - JP4				
JP-2 & JP-3 (Z1010/K790)				CLDC 1.1 (JSR-135), MIDP 2.0 (JSR-118), JTWI R1 (JSR-185), WMA 1.1 (JSR-120), MMAPI (JSR-135), Nokia UI API 1.1, Mobile 3D (JSR-184), Mascot Capsule v3 API
a. 128x128	K300(+)	K300(+), J300(+)		
b. 128x160	K500	K500*, Z500*, F500*, K506*, K508*		
c. 176x220	K700	K700*, Z1010, Z1010 (JP-2)		
d. 240x320	S700	S700*, S710*		
JP-4 (V800)				CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI R1 (JSR-185), WMA 1.1 (JSR-120), MMAPI (JSR-135), Nokia UI API 1.1, Mobile 3D (JSR-184), Mascot Capsule v3 API, VSCL 2.0 (only in V800/V800SE)
a. 176x220	V800 (+)	Vodafone V800SE (+), Z800(+), Z800(+)		
Sony Ericsson (core) JP-5 (K760)				
a. 128x160	Z520(+)	Z520(+), Z520e(+)		CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), WMA 1.1 (JSR-120), MMAPI (JSR-135), JTWI R1 (JSR-185), Bluetooth API (JSR-82), PIM and File Connection API (JSR-75), Mobile 3D (JSR-184), Nokia UI API 1.1, Mascot Capsule v3 API, VSCL 2.0 (only in V800)
b. 176x220	K750(+)	K620(+), K628(+), W620(+), K750(+), D750(+), W750(+), K758(+), W750(+), W750e(+)		

Alcatel devices			
Platform 1			
a. 128/160		4355	
Series 40			
Series 40 1st edition			
a. 128/128 Pixels	7210	2650, 3100, 3105, 3108, 3120, 3125, 3200, 3300, 3300, 5100, 6100, 6106, 6200, 6220, 6585, 6610, 6610, 6800, 7200, 7250, 7250	CLDC 1.0, MIDP 1.0, Nokia UI API
b. 128/128 Pixels	6225	3205, 2355	CLDC 1.0, MIDP 1.0, Nokia UI API
c. 128/160 Pixels	6650	7600, 6651	CLDC 1.0, MIDP 1.0, Nokia UI API
d. 128/128 Pixels (3 soft keys)	6820	6810	CLDC 1.0, MIDP 1.0, Nokia UI API, Wireless Messaging API (JSR-120)
e. 90/65 Pixels	3510i	3530, 3585, 3596, 3596, 3587, 3587, 3588, 3589, 3105, 6010, 6212, 6015, 6015, 6010	CLDC 1.0, MIDP 1.0, Nokia UI API
Series 40 2nd edition			
a. 128/128 Pixels	6230		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWI (JSR-185), Bluetooth API (JSR-82) No OSEX, MIDP 2.0, Nokia UI API
b. 128/128 Pixels	6140(+)	3610(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWI (JSR-185), MIDP 2.0, Nokia UI API
c. 128/128 Pixels	3220	7200(+), 6020(+), 6021(+), 6030(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), MIDP 2.0, Nokia UI API
d. 128/128 Pixels	6140(+)	3620(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWI (JSR-185), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API
e. 128/160 Pixels	6170(+)	3720(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWI (JSR-185), MIDP 2.0, Nokia UI API
f. 128/160 Pixels	6101(+)	3165(+), 3150(+), 6040(+), 6102(+), 6103(+), 6070(+), 6060(+), 7380(+), 6070(+), 6041(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), JTWI (JSR-185), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API
g. 128/128 Pixels	6822(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API
h. 128/128 Pixels	6230(+)	6230(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API
i. 238/108 Pixels	6230(+)	8800(+), 8801(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82) No OSEX, MIDP 2.0, Nokia UI API
Series 40 3rd edition			
a. 120/160 Pixels	6111(+)	6125(+), 6155(+), 6155(+), 6255(+), 6255(+), 6130(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
b. 128/160 Pixels	6151(+)		MIDP 2.0, CLDC 1.1, Bluetooth API (JSR-82), FileConnection and PIM API (JSR-75), JTWI (JSR-185), Mobile 3D Graphics API (JSR-184), Mobile Media API (JSR-135), Nokia UI API, Scalable 2D Vector Graphics API (JSR-226), Web Services API (JSR-172), Wireless Messaging API (JSR-120), Wireless Messaging API (JSR-205)
c. 128/160 Pixels	6200(+)	6085(+), 6085(+), 3110 classic(+), 3109 classic(+), 3000 classic(+)	MIDP 2.0, CLDC 1.1, Bluetooth API (JSR-82), FileConnection and PIM API (JSR-75), JTWI (JSR-185), Mobile 3D Graphics API (JSR-184), Mobile Media API (JSR-135), Nokia UI API, Scalable 2D Vector Graphics API (JSR-226), Security and Trust Services API (JSR-177), Web Services API (JSR-172), Wireless Messaging API (JSR-120), Wireless Messaging API (JSR-205)
d. 240/320 Pixels	6270(+)	6265(+), 6265(+), 6275(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
e. 240/320 Pixels	6280(+)	6282(+), 6288(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Scalable 2D Vector Graphics API (JSR-226), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
f. 240/320 Pixels	7370(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Scalable 2D Vector Graphics API (JSR-226), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
g. 240/320 Pixels	6131(+)	6126(+), 6132(+), 6131 NFC(+), 6233(+), 6234(+), 6300(+), 8800 Lumia(+)	FileConnection and PIM API (JSR-75), CLDC 1.1, Nokia UI API, Wireless Messaging API (JSR-205), Mobile 3D Graphics API (JSR-184), Bluetooth API (JSR-82), MIDP 2.0, JTWI (JSR-185), Mobile Media API (JSR-135), Scalable 2D Vector Graphics API (JSR-226), Wireless Messaging API (JSR-120), Web Services API (JSR-172)
h. 240/320 Pixels	6300(+)	7300(+), 7373(+)	MIDP 2.0, CLDC 1.1, Bluetooth API (JSR-82), FileConnection and PIM API (JSR-75), JTWI (JSR-185), Mobile 3D Graphics API (JSR-184), Mobile Media API (JSR-135), Nokia UI API, Scalable 2D Vector Graphics API (JSR-226), Security and Trust Services API (JSR-177), Web Services API (JSR-172), Wireless Messaging API (JSR-120), Wireless Messaging API (JSR-205)
Series 40 5th edition			
a. 128/160 Pixels	1680 classic(+)	7070 Prism(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 135 Mobile Media API, JSR 177 Security and Trust Services API, JSR 185 JTWI, JSR 205 Wireless Messaging API, Nokia UI API
b. 128/160 Pixels	2760(+)	2630(+), 2660(+), 2600 classic(+), 2680 slide(+), 2330 classic(+), 2323 classic(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 135 Mobile Media API, JSR 177 Security and Trust Services API, JSR 185 JTWI, JSR 205 Wireless Messaging API, Nokia UI API
c. 240/320 Pixels	6000(+)	7100 SupernoVA(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 135 Mobile Media API, JSR 177 Security and Trust Services API, JSR 185 JTWI, JSR 205 Wireless Messaging API, Nokia UI API
d. 240/320 Pixels	6267(+)	7500 Prism(+), 6555(+), 6263(+), 3610 6xx(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 120 Wireless Messaging API, JSR 135 Mobile Media API, JSR 172 Web Services API, JSR 177 Security and Trust Services API, JSR 184 Mobile 3D Graphics API, JSR 185 JTWI, JSR 205 Wireless Messaging API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements, JSR 246 Mobile Service Architecture for CLDC, Nokia UI API
e. 128/160 Pixels	3655(+)		CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 120 Wireless Messaging API, JSR 135 Mobile Media API, JSR 172 Web Services API, JSR 177 Security and Trust Services API, JSR 184 Mobile 3D Graphics API, JSR 185 JTWI, JSR 205 Wireless Messaging API, JSR 211 Content Handler API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements, JSR 246 Mobile Service Architecture for CLDC, Nokia UI API
f. 240/320 Pixels	6500 slide(+)	6500 classic(+), 7600 Prism(+), 6610 XpressMusic(+), 5310 XpressMusic(+), 6301(+), 8800 Arte(+), 3120 classic(+), 6300(+), 6212 classic(+), 5200 XpressMusic(+), 3600 slide(+), 6060 lumia(+), 6000 slide(+), 7310 SupernoVA(+), 7310 SupernoVA(+), 7610 SupernoVA(+), 5200 XpressMusic(+), 6130 XpressMusic(+), 2700 classic(+), 6208 classic(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 120 Wireless Messaging API, JSR 135 Mobile Media API, JSR 172 Web Services API, JSR 177 Security and Trust Services API, JSR 184 Mobile 3D Graphics API, JSR 185 JTWI, JSR 205 Wireless Messaging API, JSR 211 Content Handler API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements, JSR 246 Mobile Service Architecture for CLDC, Nokia UI API

Nokia For more information visit www.forum.nokia.com

Series 40 8th edition			
a. 240/320 Pixels	7610 SupernoVA(+)	6303 classic(+), 6700 classic(+), 5330 XpressMusic(+)	CLDC 1.1, MIDP 2.1, JSR 135 Mobile Media API 1.1, JSR 172 Web Services Specification, JSR 177 Security and Trust Services API (CRYPTO and PKI packages), JSR 177 Security and Trust Services API (SATS-API package), JSR 177 Security and Trust Services API (SATS-CRYPTO package), JSR 179 Location API for 1.0, JSR 184 Mobile 3D Graphics API 1.1, JSR 205 Wireless Messaging API 2.0, JSR 211 Content Handler API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements, JSR 234 Advanced Multimedia Supplements 1.0 (audio3D), JSR 234 Advanced Multimedia Supplements 1.0 (music), JSR 246 Mobile Service Architecture for CLDC, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API 1.1, Nokia UI API 1.1

Nokia (cont.)

S60			
S60 1st edition			
a. 176*208 Pixels	3650	3600, 3620, 3660, 7650, N-Cage TM , N-Cage Q3 TM	CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), MIDP 2.0, Nokia UI API
S60 2nd edition			
a. 176*208 Pixels	6600	6620(+)	CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82 No OBEK), MIDP 2.0, Nokia UI API
b. 176*208 Pixels	7616(+)	6602(+), 6670(+)	CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82 No OBEK), MIDP 2.0, Nokia UI API
c. 176*208 Pixels	8230(+)		CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82 No OBEK), MIDP 2.0, Nokia UI API
e. 176*208 Pixels	6630(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82 No OBEK), MIDP 2.0, Nokia UI API
e. 176*208 Pixels	6680(+)	6681(+), 6662(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82 No OBEK), MIDP 2.0, Nokia UI API
f. 176*208 pixels	N70(+)	N72(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
g. 352 * 416 pixels	N90(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
S60 3rd Edition			
a. 176*208 pixels	3250(+)	N91(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
b. 240*320 Pixels	N93(+)	N93(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
c. 240*320 Pixels	N71(+)	N73(+), N75(+), N92(+), E50(+), N77(+), E65(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
d. 320*240 Pixels	E61(+)	E62(+), E61(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
e. 208*208	6600(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
f. 352*416 pixels	E70(+)	E60(+), N80(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
S60 3rd Edition Feature Pack 1			
a. 240*320 Pixels	N96(+)	E200(+), N76(+), E10 Navigator(+), S700 XpressMusic(+), E120 Classic(+), E121 Classic(+), NDS-1(+), NDS-2(+), N81(+), N81 8GB(+), E51(+), N82(+), E124 classic(+), E90(+)	CLDC 1.1, Mobile Media API (JSR 135), Web Services API (JSR 172), Security and Trust Services API (JSR 177), Location API (JSR 179), SIP API (JSR 180), Mobile 3D Graphics API (JSR 184), JTWI (JSR 185), Wireless Messaging API (JSR 205), Scalable 2D Vector Graphics API (JSR 226), Advanced Multimedia Supplements (JSR 234), FileConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
b. 320*240 Pixels	E71(+)	E63(+)	CLDC 1.1, Mobile Media API (JSR 135), Web Services API (JSR 172), Location API (JSR 179), SIP API (JSR 180), Mobile 3D Graphics API (JSR 184), JTWI (JSR 185), Wireless Messaging API (JSR 205), Scalable 2D Vector Graphics API (JSR 226), Advanced Multimedia Supplements (JSR 234), FileConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
c. 800*352	E90 Communicator(+)		CLDC 1.1, Mobile Media API (JSR 135), Web Services API (JSR 172), Security and Trust Services API (JSR 177), Location API (JSR 179), SIP API (JSR 180), Mobile 3D Graphics API (JSR 184), JTWI (JSR 185), Wireless Messaging API (JSR 205), Scalable 2D Vector Graphics API (JSR 226), Advanced Multimedia Supplements (JSR 234), FileConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
S60 3rd Edition Feature Pack 2			
a. 240*320 Pixels	N78(+)	N80(+), E20 Classic(+), E210 Navigator(+), E650(+), S200 XpressMusic(+), N78(+), N80(+), N81 8GB(+), S700 XpressMusic(+), E720 Classic(+), E710 Navigator(+), E75(+), E55(+), E630 XpressMusic(+)	CLDC 1.1, Mobile Media API (JSR 135), Web Services API (JSR 172), Security and Trust Services API (JSR 177), Location API (JSR 179), SIP API (JSR 180), Mobile 3D Graphics API (JSR 184), JTWI (JSR 185), Wireless Messaging API (JSR 205), Scalable 2D Vector Graphics API (JSR 226), Advanced Multimedia Supplements (JSR 234), JSR 248 Mobile Service Architecture for CLDC, FileConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
S60 5th Edition			
a. 360*540 Pixels	6800 XpressMusic(+)		JSR 139 Connected Limited Device Configuration (CLDC) 1.1, JSR 119 MIDP 2.1, JSR 249 Mobile Service Architecture Subset for CLDC, JSR 75 FileConnection and PIM API, JSR 82 Java TM APIs for Bluetooth 1.1, JSR 135 Mobile Media API 1.1, JSR 172 J2ME TM Web Services Specification, JSR 172 J2ME TM Web Services Specification (RPC package), JSR 172 J2ME TM Web Services Specification (XML Parser package), JSR 177 Security and Trust Services API for J2ME TM , JSR 177 Security and Trust Services API for J2ME TM (SATSA-CRYPTO package), JSR 177 Security and Trust Services API for J2ME TM (SATSA-FPKI package), JSR 179 Location API for J2ME TM 1.0, JSR 184 Mobile 3D Graphics API for J2ME TM 1.1, JSR 205 Wireless Messaging API 2.0, JSR 226 Scalable 2D Vector Graphics API for J2ME TM 1.1, JSR 234 Advanced Multimedia Supplements 1.1, JSR 234 Advanced Multimedia Supplements 1.1 (audio), JSR 234 Advanced Multimedia Supplements 1.1 (music), SIP API, eSIPV1 UI API 1.0.3, Nokia UI API 1.2
Series 60 Developer Platform 2.0			
a. 640*200 Pixels	9600(+)	9300(+), 9300(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), CDC (JSR-30), Foundation Profile (JSR-46), Personal Profile (JSR-42), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82 No OBEK), MIDP 2.0, Nokia UI API
Other			
a. 640*320 Pixels	7716(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82 No OBEK), MIDP 2.0, Nokia UI API
LG			
176x200	U8500(+)	U8200(+)	CLDC 1.1 (JSR-120), MIDP 2.0 (JSR-118), WMA 1.1 (JSR-120), MMAPI 1.1 (JSR-135), JTWI R1 (JSR-185), PIM and File Connection API (JSR-75)

